



EVOTECH®
P E R F O R M A N C E


Installation Instructions


YAMAHA TRACER 700 TAIL TIDY


Product Reference - 13376


Kit Contents


- | | |
|----------------------------------|--|
| A 1 x Main Tail Tidy | H 2 x M5 - 12 Socket Button Head Screws |
| B 1 x Plate Light Bracket | I 2 x M3 - 12 Socket Button Head Screws |
| C 1 x Small Cover Plate | J 2 x Plastic Nuts and Screws |
| D 1 x LED Light Unit | K 2 x Male Bullet Connectors |
| E 1 x Reflector Bracket | L 4 x M6 x 30 Socket Button Head Screws |
| F 1 x Reflector | M 5 x Cable Ties |
| G 1 x Wiring Connector | |















Caution


Ensure indicators are installed
on correct sides - drain holes
should face downwards






Feed cable tie through tail tidy so the head sits inside the slot on the outer face











Caution

Run wires neatly down the channel
in both parts ensuring they
do not get trapped or squashed












Reverse Stage 1

Reflector Bracket Installation



EVOTECH[®]
P E R F O R M A N C E



ESSENTIAL CHECKS



After installation of your tail tidy ensure that the licence plate does not contact the rear tyre when suspension is fully compressed.

Ensure all electrics including indicators, tail light, brake light and licence plate light lights are working correctly before riding the motorcycle.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com