



EVOTECH®
P E R F O R M A N C E


www.evotech-performance.com


Yamaha Tracer 9
SP Connect Sat Nav Mount





Kit Contents PRN014677-015834


- | | |
|------------------------------------|---------------------------------------|
| Ⓐ 1 x M5 x 12 Countersunk Screw | Ⓛ 2 x M5 Black Washer |
| Ⓑ 1 x Pivot Plate | Ⓜ 2 x M4 x 5mm Button Head Bolts |
| Ⓒ 1 x SP Connect Plate | Ⓝ 2 x M5 x 10mm Button Head Bolts |
| Ⓓ 1 x Spanner | Ⓞ 2 x M5 x 6mm Black Button Head Bolt |
| Ⓔ 1 x Anti Vibration Plate Adaptor | Sub Kit |
| Ⓕ 2 x P-clips (No.1) | Ⓟ 1 x M5 x 12 Caphead |
| Ⓖ 2 x P-clips (No.2) | Ⓠ 1 x T-Clamp Bracket |
| Ⓗ 2 x P-clips (No.3) | Ⓡ 3 x M5 x 20 Flange Bolt |
| Ⓘ 2 x P-clips (No.4) | |
| Ⓝ 2 x Lobe Screw | |
| Ⓚ 2 x Locking Washer | |

















SP Connect
Standard Mount






SP Connect
Anti Vibration Mount




















Repeat
Both Sides





Repeat
Both Sides







**Fully Tighten
Bolt**



















P

Q









Reverse Stages 2 - 1



ESSENTIAL CHECKS



It is recommended that periodic inspections are made to ensure that all bolts are tightened to the specified torque settings.

Should the bike be involved in an accident a thorough inspection should be made and any components that have taken an impact, no matter how small, be replaced

EVOTECH
PERFORMANCE



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com