


BIKE	YAMAHA MT-09	PART NO.	RYA - 93 - SYS
YEAR	2013- Current	FIT KITS	Z039.10516
NOTES	Use standard fittings where not supplied Remove standard gasket if fitted. Will not fit with centre stand.	DB-Killer	SCEXDBK37 - (Type WW)



- | | |
|--|--|
| 1 Header Pipe CP806 | 10 Silencer Mounting Bracket (Z015.31050) |
| 2 Header Pipe CP807 | 11 M8 Nyloc Nut (Z017.10062) |
| 3 Header Pipe CP808 | 12 Lambda Sensor Hook (Z007.31198) |
| 4 Collector CP776 | 13 Connecting Pipe Flute Open End (Z028.20264) |
| 5 Connecting Pipe CP777 | |
| 6 Taper Serket Silencer RSC303 | |
| 7 4 x Rubber Coated Springs (Z028.10030) | |
| 8 M8x20mm Cap Head Bolt (Z017.10072) | |
| 9 2 x M8x17mm Washers (Z017.10831) | |

E-MARK	BSAU 193a 1990/t3
ISSUE NO.	08
DATE	02/01/19
AUTHORISED	M.YDLBI
CHECKED	

NOTE: ENSURE SCORPION SYSTEM IS CLEAR OF MOVING PARTS AND ALL ORIGINAL FUNCTIONS WORK CORRECTLY.



Fitting instructions follow on next page.



Box: PLOCK 2 x 2

BIKE	YAMAHA MT-09	PART NO.	RYA - 93- SYS
YEAR	2013- Current	FIT KITS	Z039.10516
NOTES	Use standard fittings where not supplied Remove standard gasket if fitted. Will not fit with centre stand.	FEATURES	

CONTINUED FROM OVERLEAF:



A) Remove the original system.
When fitting CP777 and CP776,
fit item 16 onto CP776 using the
O.E lambda sensor as shown in A.

Box: PLOCK 2 x 2

BIKE	YAMAHA MT-09	PART NO.	RYA - 93 - SYS
YEAR	2013- Current	FIT KITS	Z039.10516
NOTES	Use standard fittings where not supplied Remove standard gasket if fitted.	FEATURES	

Thank you for purchasing your Scorpion Silencer.

Care of your exhaust: Please refrain from cleaning silencer with heavy solvents or abrasives!

Vielen Dank Für den kauf eines Scorpion Schalldampfers! Pflegehinweis: Bitte verwenden Sie niemals Scheuermittel oder aggressive Reiniger zur Pflege Ihres Auspuffes!

Merci d'avoir choisi un echappement Scorpion.

Entretien de votre silencieux: Ne pas utiliser de solvants ou de produits abrasifs!

Muchas gracias por adquirir un Silencioso Scorpion. Le recomendamos no limpiar el silencioso con productos abrasivos o aquellos que contengan disolventes.