



www.evotech-performance.com

Yamaha Tracer 7 TomTom Sat Nav Installation Instructions




Kit Contents PRN014567-015832

- | | |
|--|---|
| Ⓐ 1 x Main Plate | Ⓛ 2 x M4 x 5mm Black Button Head Bolts |
| Ⓑ 1 x Pivot Plate | Ⓜ 4 x M5 x 12mm Black Button Head Bolts |
| Ⓒ 1 x Sub Mounting Bracket | |
| Ⓓ 2 x M5 x 8mm Black Button Head Bolts | |
| Ⓔ 2 x Lobe Screw | |
| Ⓕ 2 x Locking Washer | |
| Ⓖ 2 x P-clips (No.1) | |
| Ⓗ 2 x P-clips (No.2) | |
| Ⓘ 2 x P-clips (No.3) | |
| Ⓙ 2 x P-clips (No.4) | |
| Ⓚ 2 x M5 Black Washer | |


Sub Kit

- | |
|-----------------------------------|
| Ⓝ 4 x Plastic Washers |
| Ⓞ 4 x M5 x 25mm Black Button Bolt |






D





®





®


EVERFLO[®]
PERFORMANCE































EV
PER
N



ESSENTIAL CHECKS

It is recommended that periodic inspections are made to ensure that all bolts are tightened to the specified torque settings.

Should the bike be involved in an accident a thorough inspection should be made and any components that have taken an impact, no matter how small, be replaced

everest
PERFORMANCE



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com